

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Panasonic	Logo
Company name *	Panasonic System Networks Co., Ltd.	
Contact information *	Business Unit / Imaging Systems Business Unit / Engineering Administration Group	Panasonic
Internet site *	http://iweb.mei.co.jp/psn/portal/global/	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Facsimile Transceiver				
Commercial name *	mmercial name * Facsimile Transceiver				
Model number *	UF-5600				
Issue date *	Jan 1,2012				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	UF-5600		
Issue date *	Jan 1,2012	Logo	Panasonic

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	, 🖂		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			$\square$
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): reach@eu.panasonic.coml	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)		Ħ	<u> </u>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	$\square$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	🛛		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	Model number * UF-5600							
Issue date * Jan		Jan 1,2012	Logo	anas	or	2		
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							
P7	Design	mbly recycling						
P7.1*		mbly, recycling t have to be treated separately are easily separable				_		
					Ц.			
P7.2*		aterials in covers/housing have no surface coating.		$\square$				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\square$				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.							
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools		Ħ			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).						
17.0	-							
	Product							
P7.7*		g can be done e.g. with processor, memory, cards or drives		<u> </u>		$\boxtimes$		
P7.8*	Upgradir	g can be done using commonly available tools				$\square$		
P7.9.	Spare pa	rts are available after end of production for: 7 years						
P7.10	Service i	s available after end of production for: 7 years						
		and substance requirements						
P7.11*		cover/housing material type:						
	Material		al type: ABS					
	materia							
P7.12	Electrica	cable insulation materials of power cables are PVC free.						
P7.13		cable insulation materials of signal cables are PVC free			∺			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		<u> </u>	╞			
					_ᆜ_			
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC6	51249-2-21. (\$	See				
	Note B2)							
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
D7 47	Marking:	FR(17)						
P7.17	Alt. 1	I specifications of flame retardants in printed circuit boards >25g (without compone	nto):					
			nis).					
	I DDPA (	additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2							
		I specifications of flame retardants in printed circuit boards (without components) >	25g according	u 🗖				
	ISO 1043			,				
P7.18	Alt. 1							
		etarded plastic parts >25g contain the following flame retardant substances	/preparations	in 🗌				
		ations above 0.1%:	• •					
	Comme	ent: No legal limits exist, this is a market requirement.						
		cal name: , CAS #:						
	2. Chemi	cal name: , CAS #:						
	3. Chem	cal name: , CAS #:						
	Alt. 2							
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
				<u> </u>	<u> </u>			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ified as R45,					
D7 00								
P7.20								
P7.21		lastic parts' weight >25g, biobased material content is %.						
P7.22								
P8	Batteries	y is used specify: Number of lamps: and max. mercury content per lamp:	mg					
P8.1*		hemical composition: <i>Lithium</i>						
		•						
P8.2	Batteries	meet the requirements of the following voluntary program/s:				$\boxtimes$		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	UF-5600									
Issue date *	Jan 1,2012 Logo Panasonic					ic				
Item	ct environmental attributes - Market requirements (continued) Requirement me Yes No n.a						met n.a.			
	consumpti	on						163	NO	n.a.
•	•	following power levels	or energy consump	tions are reporte	ed:					
Energy mode *		Power level at	Power level at	Power level	at	Reference / Sta	andard i	for en	ergy	
		100 V AC	115 V AC	230 V AC		modes and test me				
Off mode		W	W	<b>0</b> W		Energy Star V1.1				
Sleep mode		W	W	4.51 W		Energy Star V1.1				
Standby mode		W	W	W						
Active mode(Copy	り	W	W	W						
Maximum		W	W	W						
		W	W	W						
EPS No-load		W	W	W						$\boxtimes$
(External power sup charger plugged in t										
outlet but disconned										
the product.)										
PTEC * Typical Energy Con	sumption	W	W	W						$\boxtimes$
Typical Energy Con	oumption									
TEC *		kWh/week	kWh/week	1.596 kWh/we	eek	Energy Star V1.1				
Typical Energy Con	sumption									
ETEC *		kWh/year	kWh/year	kWh/yea	ar					$\square$
Annual Energy Con	sumption	itterit your	itt in your	ittin yöt						
Display resolution*		gapixels								$\boxtimes$
Print Speed *	: 24 Images	s per minute	per minute			Energy Star V1.1				
Default time to ente						Energy Star V1.1				
P9.2* Informa	tion about th	ne energy save function	n is provided with the	e product.				$\boxtimes$		
		the energy requiremen	-		n/s:					]
ENERG Others		ersion: 1.1 Tier:	Product category:	Fax Machine					H	
P10 Emissio									11	
Noise e	mission – I	Declared according to	ISO 9296		ì					
P10.1 Mode	M	lode description		Declared A-weighted		Declared A-				
				sound power		sound pressure lev	-			
				level $L_{WAd}$ (B)	Opera	ator position 🗌	Bystand	er posit		
						Desktop	(only if pr	oduct is	not	
					(	or Desk side	operate	or attend		
Idle		Stanby Mode		4.17		26.6				
Operation Other m		Copy(24cpm) Copy(12cpm)	*	6.69 6.60		51.9 51.3				
			ECMA-74	0.00		57.3	,			
weasur				by FCMA-74 with	h l	measurement dista	ince	m)		
P10.2 The pro										

Model nur	nber *	UF-5600			
Issue date	<b>;</b> *	Jan 1,2012 Logo Par	nas	on	ic
	environn	nental attributes - Market requirements (continued) R	equire		
Item			Yes	No	n.a.
		al emissions from printing products			
P10.3*		ormed according to ECMA-328 (ISO/IEC 28360) standard, other specify:		$\boxtimes$	
P10.4	Typical e	mission rate (print phase) is (mg/h):			
		Dust Ozone Styrene Benzene TVOC			
P10.5		l emission requirements of the following voluntary program/s are met for :			
ļ		Dust Ozone Styrene Benzene TVOC			
		nagnetic emissions			
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s:			$\bowtie$
P11		able materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$		
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of I.			
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.		$\boxtimes$	
P12	Ergonor	nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\square$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packagi	ng and documentation			
P13.1*		packaging material type(s): CB weight (kg): 2.18			
		packaging material type(s): EPS weight (kg): 0.68			
P13.2*	Product	packaging material type(s): <i>PE</i> weight (kg): <i>0.12</i> plastic packaging is free from PVC.			
P13.2 P13.3*			$\boxtimes$		⊢⊢
P13.3		nedia for user and product documentation (tick box): c 🔯, Paper 🔯, Other 🔲			
P13.4*		c A, Paper A, Other			
P13.4	fiber: 0				
Rev. P13.5		product documentation do not contain chlorine bleached paper			
P14	Addition	al information (See Note B4)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19